



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

November 30, 2007

Mr. Clarke Lundell
Republic Services, Inc.
Suite 2700
110 S. E. 6th Street
Fort Lauderdale, FL 33301

RE: RESPONSE TO REQUEST FOR ALTERNATIVE GAS PROBE LOCATIONS

Dear Mr. Lundell:

I am in receipt of Countywide's November 21, 2007 request to install explosive gas monitoring probes at alternative locations to those required by Order Number 8 of the November 7, 2007 Director's Findings and Orders (November Orders). As you are aware, Order Number 8 of the November Orders allows the DSIWM enforcement coordinator to make certain adjustments to the requirements of Order Number 8. This letter serves to authorize a portion of Countywide's proposed alternative explosive gas monitoring probe locations.

In accordance with our teleconference discussion on November 29, 2007, Countywide will be authorized to install explosive gas monitoring probes SGP #1, SGP #3, SGP #4, SGP #5, SGP #7, SGP #8, SGP #9, SGP #10 and SGP #11 at the alternative locations as proposed in Countywide's November 21, 2007 request. Completion of the above explosive gas monitoring probes needs to be accomplished by December 6, 2007.

However, SGP #2 and SGP #6 will need to be installed at locations consistent with the November Orders (not greater than 10 feet outside of the limits of waste placement), be screened beginning 10 feet below the bottom liner anchor trench, and will need to be installed either to the top of bedrock or 10 feet below the bottom liner, whichever is encountered first. Countywide will need to collect continuous soil samples during the installation of SGP #2 and SGP #6 and provide written descriptions of the soil and any other material types encountered including moisture content (preferably in a manner consistent with ASTM D2488-06, Standard Practice for Description and Identification of Soils, Visual-Manual Procedure). Countywide will need to commence installation of SGP #2 or SGP #6 by December 6, 2007.

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Mr. Clarke Lundell
Page 2

Please contact me or Pam Allen with any questions you have, or assistance you require, at 614-644-2621.

Sincerely,

A handwritten signature in purple ink that reads "R. Edwin Gortner". The signature is written in a cursive style with a large, stylized "G" at the end.

R. Edwin Gortner
DSIWM Enforcement Coordinator

REG/sw

cc: DSIWM Civil Enforcement Files, CO
Pamela S. Allen, Chief, DSIWM-CO
Jeff Hurdley, Legal
Kurt Princic, DSIWM-NEDO
Kirk Norris, Stark County Health District
Tim Vandersall, Countywide RDF
Todd Hamilton, Countywide RDF

ec: Michael Beaudoin